



# Ezzy Bio Sciences Pvt.Ltd.

Registered office: Khasra No. 90/1, Gram Mehrja, Khargone 451001(M.P.)INDIA

Corp. Office: 1304, Marathon icon, Nextgen campus off.Ganpatrao kadam Marg Lower parel (w)

Mumbai-400013(MH) India,Phone: 091-22-41206505 Email: info@ezzyint.com Web: www.ezzyint.com

## TECHNICAL DATA SHEET

PRODUCT NAME	LYSORUS
PRODUCT CATEGORY	ANTI-VIRAL & BACTERIAL
MANUFACTURED BY	EZZY BIOSCIENCES PVT.LTD.
FACTORY ADDRESS	KHASRA No.90/1 GRAM MEHRJA , KHARGONE 451001
OFFICE ADDRESS	1304, MARATHON ICON NEXTGEN CAMPUS OFF GANPATRAO KADAM MARG LOWER PAREL (W) MUMBAI -400013 (MH) INDIA, Ph- +9102241206505

### GENERAL PRODUCT INFORMATION

**LYSORUS** contains Folic Acid.Folic acid affect indirectly plant viruses by affecting plant defense mechanisms via enhancing some metabolic pathways. It is a central cofactor for one-carbon transfer reactions which are involved in many cellular reactions such as synthesis of purines, metabolism of amino acids, a glycine to serine conversion, synthesis of methionine and the formation of lignin, chlorophyll and choline and also in the photorespirations cycle. It is a new, convenient and affordable organic fertilizer to increase the efficiency of the plant and preserve its nutrients,folic acid reduces virus multiplication inside plant cell.

### TECHNICAL DATA

Parameters	Lysorus	Activator
Appearance	Powder	Liquid
Color	Off White	Little Yellow
Odor	Characteristics	Characteristics
Solubility	Water Soluble	Water Soluble
pH	-	6 ±0.5
Specific Gravity	NA	1.02

### TARGET DISEASE

Lysorus Recommended on broad classes of plant viruses such as potato virus, cauliflower mosaic virus, leaf curl virus, yellow mosaic virus , and bacterial disease such as bacterial leaf blight , citrus cancer, stem rot and tuber rot of potato etc.

### METHOD OF APPLICATION & RECOMMENDED DOSAGE

- 1.Recommended Crop** - Lysorus is recommoned for all drops that are affected by virus like - like Cereals, Vegetable, top fruits, spices and medicinal crop etc.
- 2.Recommended Dosage** - 1 gm Lysorus + 50 ml Activator/ acre
- 3.Mode Of Application** - Foliar application
- 4.Method of Application** - First add 1gm lysorus powder into water and then add 50 ml Activator to spray crop of 1 acre .
- 5.Recommended additions-** 2 to 3 times during the growth and development stages of the plant and on appearance of bacterial and viral infection.
- 6.Time Of Application** - Preferably before or after Infection of virus

### DANGEROUS GOOD CLASSIFICATION

Dangerous Good	Not Classified
Hazardous Material Regulation	Not Classified

### STORAGE

This product can be stored in the unopened original container for 3 years. Opened containers should be used up or be resealed immediately.

For further information please write on [sales@ezzyint.com](mailto:sales@ezzyint.com), [info@ezzyint.com](mailto:info@ezzyint.com)